

COMPOSITION :

Each 1 ml contains :

Ivermectin.....10mg
Vitamin B 350 µg

IVECTINE12(100ml)

ANTI-PARASITE MEDICATION FOR PARASITIC DISEASES.

SUBCUTANEOUS INJECTION SOLUTION

INDICATIONS:

IVECTINE12 Injection for Cattle and Sheep is indicated for the effective treatment and control of the following harmful parasites of CATTLE: Gastrointestinal Roundworms, *Ostertagia lyrata*, *Ostertagia ostertagi*, *Cooperia oncophora*, *Cooperia pectinata*, *Cooperia punctata*, *Haemonchus placei*, *Trichostrongylus axei*, *Trichostrongylus colubriformis*, *Bunostomum phlebotomum*, *Oesophagostomum radiatum*, *Strongyloides papillosus*, *Nematodirus helvetianus*, *Nematodirus spathiger*, *Trichuris* spp., Lungworms, *Dictyocaulus viviparus*, Eye Worms, *Thelazia* spp., Warbles, *Hypoderma bovis*, *H. lineatum*, Mange Mites, *Psoroptes ovis*, *Sarcoptes scabiei* var. *bovis*, Sucking Lice *Linognathus vituli*, *Haematopinus eurysternus*, *Solenopotes capillatus*, also be used as an aid in the control of biting lice (*Damalinia bovis*) and the mange mite *Chorioptes bovis*, but complete elimination may not occur. SHEEP: Gastrointestinal Roundworms, *Ostertagia circumcincta*, *O. trifurcata*, *Haemonchus contortus*, *Trichostrongylus axei*, *T. colubriformis*, *T. vitrinus*, *Cooperia curticei*, *Oesophagostomum columbianum*, *O. venulosum*, *Nematodirus filicollis*, *Chabertia ovina*, *Trichuris ovis*, Lungworms, *Dictyocaulus filaria*, *Protostrongylus rufescens*, Nasal Bots, *Oestrus ovis*, Mange Mites, *Psoroptes ovis*.

WITHDRAWAL PERIOD:

Cattle (meat & Offal) : 49 days.

Sheep (meat & offal) : 37 days.

Sheep or Cattle (milk) : Do not use in sheep or cattle producing milk for human consumption.



DOSAGE AND ADMINISTRATION:

(For Subcutaneous injection Only).

for Cattle and Sheep given at the recommended dosage of 0.2 mg per kg

it controls re-infection with:

Barbers pole worm – *Haemonchus placei* 14 Days.

Small intestinal worm – *Cooperia* spp. 14 Days.

Hairworm – *Trichostrongylus axei* 14 Days.

Brown stomach worm – *Ostertagia ostertagi* 21 Days

Nodular worm – *Oesophagostomum radiatum* 21 Days

Lungworm – *Dictyocaulus viviparus* 28 Days

Keep it In original pack, Store in a dry, dark place below 25°C.

USED FOR



Cattle, sheep

